



KORTON INDUSTRIAL LIMITED

0.938 Inch | 23.825 Millimeter x 1.748 Inch | 44.4
Millimeter x 1.313 Inch | 33.35 Millimeter NTN
UELPL-15/16 Pillow Block Bearings



UELPL-15/16 Bearing 2D drawings and 3D CAD
models

Bearing No. UELPL-15/16

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.199
EAN	4547359235562
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	A-UEL205-015D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Wide Inner Race Low Base Has Flinger With Set Screw
Long Description	2 Bolt Pillow Block; 15/16" Bore; 1-5/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing;



KORTON INDUSTRIAL LIMITED

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UELPL-15/16
Weight / LBS	0.44
Actual Bolt Center to Center	4.1 Inch 105Millimeter
B	1.313 Inch 33.35 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
D	1.748 Inch 44.4 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
d	0.938 Inch 23.825 Millimeter
Nominal Bolt Center to Center	4.1 Inch 105 Millimeter
mounting:	Two-Bolt Base
overall length:	139.7 mm
bore diameter:	0.9375 in
overall height:	68.263 mm
bore type:	Round
finish/coating:	Oxide
base to bore centerline:	1.3125 in
overall width:	1-3/4 in
duty type:	Normal Duty
base width:	38.1 mm
housing material:	Cast Iron



KORTON INDUSTRIAL LIMITED

bolt center-to-center length:	104.775 mm
locking device:	Eccentric Collar
lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
end type:	Open
expansion type:	Non-Expansion Bearing (Fixed)
series:	UELPL