



# KORTON INDUSTRIAL LIMITED

2.688 Inch | 68.275 Millimeter x 2.559 Inch | 65 Millimeter x 3.74 Inch | 95 Millimeter TIMKEN LSE211BXHSATL Pillow Block Bearings



LSE211BXHSATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE211BXHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	15.33
EAN	0013992048516
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	LSE211BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



## KORTON INDUSTRIAL LIMITED

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	33.77
B	3.74 Inch   95 Millimeter
Nominal Bolt Center to Center	10.6 Inch   270 Millimeter
D	2.559 Inch   65 Millimeter
d	2.688 Inch   68.275 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	10.6 Inch   270Millimeter
Shaft Size	2-11/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	2 x M20
Weight	42 lb
Dimension H	3.740 in
Dimension H1	1.5 in
Dimension H2	8.2 in
Dimension J	10.6 in
Dimension L	13.0 in
Dimension M	3.0 in
Housing Width	4.5 in
Cr - Dynamic Load Rating	31024 lbf
Cor - Static Load Rating	36194 lbf



## KORTON INDUSTRIAL LIMITED

Maximum Speed	3310 rpm
Note	This product line was formerly known as " Revolvo "